CLASS 35 CLASS CLASS CLASS

88-57

352.

PO-234

SEARCH CARD

352. Structures under the class definition not hereinbefore provided for.

PLEASE KEEP IN ORDER 8-18-48

SEARCH CARD

233. Device under subclass 231 wherein said securing means is separate from the tool and is a helically ribbed member rotated about the axis of the helix to hold the tool in position by interengagement between the tool and the tool support.

SEARCH CARD

181. Device under subclass 153 in which the displacement of the tool is caused by a member having a helically ribbed surface rotatable relative to a cooperating surface so that the ribbed surface and the cooperating surface are relatively displaced along the axis about which the helically ribbed surface rotates; whereby, a tool connected to one of the surfaces is displaced; wherein, the member having a helically ribbed surface is rotatable about an axis that intersects and is normal to the tool-axis.

SUB.____

PATENTS AND RECORDS SHALL NOT BE REMOVED FROM THE SEARCH ROOM NOR MUTILATED

The unlawful removal or mutilation of records is forbidden by law and is punishable by fine or imprisonment or both.

(18 U.S.C. 2071)

17

17

CLASS____

SUB.____

PATENTS AND RECORDS SHALL NOT BE REMOVED FROM THE SEARCH ROOM NOR MUTILATED

The unlawful removal or mutilation of records is forbidden by law and is punishable by fine or imprisonment or both.

(18 U.S.C. 2071)

17

17

SUB. 418
SUB. 419

PATENTS AND RECORDS SHALL NOT BE REMOVED FROM THE SEARCH ROOM NOR MUTILATED

The unlawful removal or mutilation of records is forbidden by law and is punishable by fine or imprisonment or both.

(18 U.S.C. 2071)





SUB. 9
SUB.

D. S. GOVERNMENT PRINTING OFFICE: 1933 17584

SUB. 11
SUB.

U. S. GOVERNMENT PRINTING OFFICE: 1933 17584

SUB.

SUB.

U.S. GOVERNMENT PRINTING OFFICE 16-62204-3

SUB.

SUB.

u. s. government printing office 16-62204-1

81

SEARCH CARD

81. Devices under subclass 76 wherein a rotary cam sleeve locks the detent to the article.

SEARCH THIS CLASS, SUBCLASS— 30, 71, 75, 78 and 80, for sleeves to actuate various types of jaws.

U.S. GOVERNMENT PRINTING OFFICE



89/IR MISC.

D 2-423 Fasteners, outen, houte or class at ends of commenting element - Rigid stud type Lou, These references are from ald D2 which now belong in 011. Comen Deberdashery - Fastener = With brickle, button, hook in clark at end of connecting means 0 2-423=Rigid stud type

DILLOND & Spiral, coil, intertwined or interwoven motif.

02-435 Fastener, buttons with semulative motif.

D 2-436 Buttons, animate

D2-442 Fasteners, With stationery prong or prongs, knob or knobs

Haberdaehery
- Fasteners
D2-442=With station prong or prongs, knob-or
knobs

02-402 Supports for body worn
apparel-les, or arm worn
(e.g. garters arm bands

Socks or Stockings Stockings characterized by puttern et 02-337 - Of top portion

Socks or Stocking

Stocking Characterized by pattern

Stocking Characterized by pattern

D2-341 - Pattern scattered or spaced

vertically or horizontally




259 4A

44/15.F

PLATES
ANIMALS
BIRDS

D-44 15(17.1)

> DESIGNS (IN ORDER)



ILE

OHY PUBLICATIONS BEHIND THIS